

LET YOUR DESIGNS

DEFINE YOUR VISION



COUNTERTOPS

1620 x 3220mm | 1450 x 3150mm



CONTACT US

 **1 (888) 75SKARB**

 skarbinc.com

 info@skarbinc.com

Showroom Address: 155 Frobisher Dr
Suite 1-106, Waterloo, ON N2V 2E1

Warehouse Address: 9 Humber St,
Stratford, ON N5A 6S4




TABLE OF CONTENTS

PAGE	DESCRIPTION/CONTENT
1	----- INTRODUCTION TO SKARB
2	----- SIZES AND THICKNESS
3	----- FEATURES
4	----- SK1000 - Black Vanatino
5	----- SK1001 / SK1002 - Tuskan / Alaskan Wave
6	----- SK1003 - Olympia White
7	----- SK1004 / SK1005 - Calavatta Wave Gold
8	----- SK1006 - Calacatta Crystal
9	----- SK1007 / SK1008 - Britannica Grey / Black Blanco
10	----- SK1009 - Satavario Light Grey
11	----- SK1010 / SK1011 - Alaska White / Natural Satavario
12	----- SK1012 - Grey Biancosk
13	----- SK1013 / SK1014 - Alabaster / Concrete Marble
14	----- SK1015 / SK1016 - Carrara Nuvo / Aurora Snow
15	----- SK1017 / SK1018 - Satvario Laza Kenya / New Everest
16	----- SK1019 / SK1020 - Ultra White / Ice White
17	----- SK1021 - Wonder
18	----- SK1022 / SK1023 - Rain Forest / Ice White
19	----- SK1024 - Snow White
20	----- SK1025 / SK1026 - Sparkle White / Sparkle Black
21	----- SK1027 - Carrara Regular
22	----- SK1028 / SK1029 - Onex Light Colour / White Silk
23	----- SK1030 / SK1031 - Maxico / Grey Glitre
24	----- SK1032 - Chandan
25	----- SK1033 / SK1034 - Grey Silk / New Cemento
26	----- SK1035 - Rampam
27	----- SK1036 / SK1037 - Biso Sand / Aurora Greem
28	----- TECHNICAL SPECIFICATIONS

INSPIRED BY NATURE

With the combination of old-fashioned craftsmanship and technological innovation, SKARB is able to create a superior surface that is not only aesthetically pleasing but also extremely durable and easy to maintain. Our state-of-the-art production facility uses high-quality and environmentally conscious materials to create products that meet the highest standards of performance and sustainability. Our designs are inspired by nature and are meant to bring the beauty of nature into your space.

SIZES AND THICKNESS



1620 x 3220 mm | 1450 x 3150mm

15mm, 18mm, 20mm, 30mm



FEATURES



High
Durability



Acid
Resistant



stain
Resistant



Maintenance
Free



Dimensional
Stability



Easy To
Clean



Slip
Resistant



Eco
Friendly

BLACK VANATINO - SK1000




BLACK VANATINO - SK1000

TUSKAN - SK1001





ALASKAN WAVE - SK1002

OLYMPIA WHITE - SK1003




OLYMPIA WHITE - SK1003

CALAVATTA WAVE GOLD - SK1004




CALACATTA CRYSTAL - SK1005

CALACATTA GOLD - SK1006



CALACATTA GOLD - SK1006

BRITANNICA GREY - SK1007





BLACK BLANCO - SK1008

SATAVARIO LIGHT GREY - SK1009




SATAVARIO LIGHT GREY - SK1009

ALASKA WHITE - SK1010




NATURAL SATAVARIO - SK1011

GREY BIANCOSC - SK1012



GREY BIANCOSC - SK1012

ALABASTER - SK1013



CONCRETE MARBLE - SK1014

CARRARA NUVO - SK1015





AURORA SNOW - SK1016

SATVARIO LAZA KENYA - SK1017



NEW EVEREST - SK1018

ULTRA WHITE - SK1019




ICE WHITE - SK1020

WONDER - SK1021




WONDER - SK1021

RAIN FOREST - SK1022




ICE WHITE - SK1023

SNOW WHITE - SK1024



SNOW WHITE - SK1024

SPARKLE WHITE - SK1025



SPARKLE BLACK - SK1026

CARRARA REGULAR - SK1027




CARRARA REGULAR - SK1027

ONEX LIGHT COLOUR - SK1028




WHITE SILK - SK1029

MAXICO - SK1030





GREY GLITTRE - SK1031

CHANDAN - SK1032



CHANDAN - SK1032

GREY SILK - SK1033




NEW CEMENTO - SK1034

RAMPAM - SK1035



RAMPAM - SK1035

BISO SAND - SK1036



AURORA GREEN - SK1037

TECHNICAL SPECIFICATION

TEST SPECIFICATION	STANDARD OF TEST	RANGE OF QUARTZ
Water Absorption	ASTM C 97, EN 99, PR En14617-1 BS6431:PART 11	0.02-0.05/ 0.0514/ 0.02
Thermal Expansion Linear Coefficient Of T.e	NFP, EN 103 ASTM D4535	20-30
Surface Hardness	EN101, CN10631	6-7
Density	ASTM C97 CNS11321 BS6431: PART 13	2350-2450
Resistance To Fire	DIN4102	B1
Compressive Strength	ASTM C170 CNS11319	235-250 / 180-190
Flexural Strength Module	En100, CNS1322 ASTM C97 BS6431:PART12	28-40, 6100
Angle		No visible change
Glossiness	G8	65
Shock Resistance	ASTM C848	No scaling
Chemical Resistance (resistance To Acid)	PR EN 14617-10 BS6431:PART12	cl.C4 class 1/ class AA
Resistance To Deep Abrasion	En102, astm C241 CNS11320	No Defect Observed
Resistance To De-icing Salts	ASTM C 672	120-180 4810
Resistance To Rapid Freezing & Thawing	ASTM C 666 DIN 52104	Levigato 320=R9, Ponce 320=R9, Honed=320=R9 1.2060
Impact Resistance	Pr EN 14617-09	5,+2
Slippage Resistance	DIN51130/ASTM E 303	Levigato 320 R9, Ponce 320 R9, Honed 320 R9



Showroom Address: 155 Frobisher Dr
Suite 1-106, Waterloo, ON N2V 2E1

Warehouse Address: 9 Humber St,
Stratford, ON N5A 6S4



 **1 (888) 75SKARB**

 skarbinc.com

 info@skarbin.com

 Skarb_inc

 Skarb

 Skarb_inc

 Skarb_inc